

Tire Size	Service Description	UTQG	Load Range	Sidewall	Approved Rim Width	Measured Rim Width	Section Width	Overall Diameter	Tread Width	Max Load	Tread Depth
185/70R14	88 T	620 A B	STD	BLK	4.5 - 6	5.5	7.44	24.25	5.51	1235	11
195/70R14	91 T	620 A B	STD	BLK	5 - 6.5	6	8.05	24.8	5.86	1356	11
185/65R14	86 T	620 A B	STD	BLK	5 - 6.5	5.5	7.44	23.46	5.8	1168	11
185/60R14	82 H	420 A A	STD	BLK	5 - 6.5	5.5	7.48	22.73	5.9	1047	11
195/60R14	86 H	420 A A	STD	BLK	5.5 - 7	6	7.97	23.2	6.29	1168	11
205/70R15	96 T	620 A B	STD	WSW	5 - 7	6	8.23	26.34	6.1	1565	11
215/70R15	98 T	620 A B	STD	WSW	5.5 - 7	6.5	8.7	26.89	6.45	1653	11
185/65R15	88 H	420 A A	STD	BLK	5 - 6.5	5.5	7.83	24.45	5.75	1235	11
185/65R15	88 T	620 A B	STD	BLK	5 - 6.5	5.5	7.44	24.45	5.86	1235	11
195/65R15	91 H	420 A A	STD	BLK	5.5 - 7	6	8.05	24.97	6.13	1356	11
195/65R15	91 T	620 A B	STD	BLK	5.5 - 7	6	7.91	25	6.17	1356	11
205/65R15	94 H	420 A A	STD	BLK	5.5 - 7.5	6	8.34	25.41	6.46	1477	11
205/65R15	94 T	620 A B	STD	BLK	5.5 - 7.5	6	8.23	25.47	6.42	1477	11
205/65R15	94 V	360 A A	STD	BLK	5.5 - 7.5	6	8.37	25.41	6.66	1477	11
215/65R15	96 T	620 A B	STD	BLK	6 - 7.5	6.5	8.7	26.02	6.79	1565	11

185/60R15	84 T	620 A B	STD	BLK	5 - 6.5	5.5	7.44	23.76	5.86	1102	11
195/60R15	88 H	420 A A	STD	BLK	5.5 - 7	6	8.03	24.2	6.29	1235	11
195/60R15	88 T	620 A B	STD	BLK	5.5 - 7	6	7.91	24.21	6.25	1235	11
205/60R15	91 H	420 A A	STD	BLK	5.5 - 7.5	6	8.29	24.65	6.55	1356	11
205/60R15	91 T	620 A B	STD	BLK	5.5 - 7.5	6	8.23	24.69	6.5	1356	11
215/60R15	94 H	420 A A	STD	BLK	6 - 7.5	6.5	8.82	25.1	6.93	1477	11
215/60R15	94 T	620 A B	STD	BLK	6 - 7.5	6.5	8.7	25.16	6.87	1477	11
215/65R16	98 T	620 A B	STD	BLK	6 - 7.5	6.5	8.79	26.92	6.79	1653	11
235/65R16	103 T	620 A B	STD	BLK	6.5 - 8.5	7	9.56	27.93	7.37	1929	11
205/60R16	92 H	420 A A	STD	BLK	5.5 - 7.5	6	8.4	25.65	6.55	1389	11
215/60R16	95 T	620 A B	STD	BLK	6 - 7.5	6.5	8.92	26.07	6.87	1521	11
215/60R16	95 V	360 A A	STD	BLK	6 - 7.5	6.5	8.95	26.1	7.13	1521	11
225/60R16	98 H	420 A A	STD	BLK	6 - 8	6.5	9.08	26.56	7.16	1653	11
225/60R16	98 T	620 A B	STD	BLK	6 - 8	6.5	9.21	26.54	7.09	1653	11
225/60R16	98 T	620 A B	STD	WSW	6 - 8	6.5	9.21	26.54	7.09	1653	11
235/60R16	100 H	420 A A	STD	BLK	6.5 - 8.5	7	9.52	27.1	7.55	1764	11

235/60R16	100 T	620 A B	STD	BLK	6.5 - 8.5	7	9.7	27.02	7.46	1764	11
205/55R16	91 H	420 A A	STD	BLK	5.5 - 7.5	6.5	8.59	24.86	7.17	1356	11
205/55R16	91 T	620 A B	STD	BLK	5.5 - 7.5	6.5	8.56	24.81	6.99	1356	11
225/55R16	95 H	420 A A	STD	BLK	6 - 8	7	9.29	25.77	7.79	1521	11
205/50R16	87 H	420 A A	STD	BLK	5.5 - 7.5	6.5	8.32	24.09	7.25	1201	11
225/50R16	92 V	360 A A	STD	BLK	6 - 8	7	9.15	24.89	7.69	1389	11
215/65R17	99 T	620 A B	STD	BLK	6 - 7.5	6.5	8.93	27.92	6.8	1709	11
215/60R17	96 T	620 A B	STD	BLK	6 - 7.5	6.5	9.03	27.05	6.97	1565	11
225/60R17	99 T	620 A B	STD	WSW	6 - 8	6.5	9.14	27.62	6.99	1709	11
235/60R17	102 T	620 A B	STD	BLK	6.5 - 8.5	7	9.53	28.09	7.36	1874	11
215/55R17	94 V	360 A A	STD	BLK	6 - 7.5	7	8.9	26.31	7.32	1477	11
225/55R17	97 T	620 A B	STD	BLK	6 - 8	7	9.31	26.79	7.4	1609	11
235/55R17	99 H	420 A A	STD	BLK	6.5 - 8.5	7.5	9.75	27.15	8.01	1709	11
215/50R17	91 V	360 A A	STD	BLK	6 - 7.5	7	8.88	25.46	7.37	1356	11
225/50R17	94 V	360 A A	STD	BLK	6 - 8	7	9.66	25.89	7.69	1477	11
235/50R17	96 V	360 A A	STD	BLK	6.5 - 8.5	7.5	9.91	26.3	8.09	1565	11

